

APPENDIX

Sub  
A1

PA 163498 v1

JOBS\_LIVE

JOB\_NO: NUMBER  
JOB\_ID: VARCHAR2(15)  
JOB\_TYPE: NUMBER  
CUSTOMER\_ID: VARCHAR2(10)  
CUSTOMER\_NAME: VARCHAR2(30)  
CUSTOMER\_TYPE: VARCHAR2(1)  
JOB\_REF1: VARCHAR2(20)  
JOB\_REF2: VARCHAR2(20)  
STATUS: NUMBER  
TOT\_WEIGHT: NUMBER  
TOT\_PIECES: NUMBER  
SERVICE: VARCHAR2(4)  
SUB\_SERVICE: VARCHAR2(4)  
SERVICE\_LEVEL: NUMBER  
SERVICE\_TYPE: VARCHAR2(1)  
ARTICLE\_ID: VARCHAR2(1)  
DE\_STATUS: VARCHAR2(2)  
DISP\_GROUP: NUMBER  
AUTO\_DISP: VARCHAR2(1)  
CREATED\_BY: VARCHAR2(30)  
UPDATED\_BY: VARCHAR2(30)  
DISP\_DT: DATE  
CREATE\_DT: DATE  
UPDATE\_DT: DATE  
ORDER\_NO: NUMBER  
WAYBILL\_ID: VARCHAR2(20)  
JOB\_DESC: VARCHAR2(60)  
JOB\_REV\_AMT: NUMBER(10,2)  
JOB\_COST\_AMT: NUMBER(10,2)  
ALERT\_NO: NUMBER  
INVOICE\_NO: NUMBER  
CALLER: VARCHAR2(20)  
CALL\_PHONE: VARCHAR2(15)  
JOB\_PMI: NUMBER(7,2)  
JOB\_DMI: NUMBER(7,2)  
TOTAL\_MILES: NUMBER(9,2)  
TERMS\_FLAG: VARCHAR2(1)  
INT\_CODE: VARCHAR2(1)  
INST\_PRINT: VARCHAR2(1)  
DAILY\_FLAG: VARCHAR2(1)  
POD\_FAX: VARCHAR2(1)  
REVENUE\_SITE: VARCHAR2(3)  
SITE: VARCHAR2(3)  
ATTRIBUTE\_NO: NUMBER  
PU\_READY\_DT: DATE  
DUE\_DT: DATE  
PU\_ACTUAL\_DT: DATE  
DEL\_ACTUAL\_DT: DATE  
DIM\_WEIGHT: NUMBER  
CURRENT\_DRIVER: NUMBER  
DISP\_COLOR: VARCHAR2(30)  
CURRENT\_DRIVER\_SITE: VARCHAR2(3)  
JOB\_CLASS: VARCHAR2(12)

JOBS\_STOPS\_LIVE

JOB\_NO: NUMBER  
STOP\_NO: NUMBER  
STOP\_ORDER: NUMBER  
STOP\_STATUS: NUMBER  
STOP\_ADDRESS\_NO: NUMBER  
STOP\_DRIVER: NUMBER  
STOP\_DELAY: NUMBER  
STOP\_ARRIVE\_DT: DATE  
STOP\_ARRIVE\_GMT: DATE  
STOP\_EARLIEST\_DT: DATE  
STOP\_EARLIEST\_GMT: DATE  
STOP\_LATEST\_DT: DATE  
STOP\_LATEST\_GMT: DATE  
STOP\_ACTUAL\_DT: DATE  
STOP\_ACTUAL\_GMT: DATE  
STOP\_WAIT\_DT: DATE  
STOP\_TYPE: VARCHAR2(1)  
OK\_LEAVE: VARCHAR2(1)  
STOP\_AIRPORT: VARCHAR2(10)  
STOP\_PRODUCT: VARCHAR2(20)  
ACTUAL\_DEPOT: VARCHAR2(20)  
STOP\_PHONE: VARCHAR2(15)  
STOP\_REF1: VARCHAR2(30)  
STOP\_REF2: VARCHAR2(30)  
STOP\_INST: VARCHAR2(90)  
STOP\_ATTN: VARCHAR2(30)  
STOP\_LATE\_FACTOR: NUMBER(6,2)  
STOP\_NOTIFY: VARCHAR2(1)  
STOP\_WEAVE: VARCHAR2(1)  
STOP\_SITE: VARCHAR2(3)  
STOP\_POD: VARCHAR2(30)  
STOP\_BUS\_NAME: VARCHAR2(30)  
STOP\_ADDRESS1: VARCHAR2(30)  
STOP\_ADDRESS2: VARCHAR2(30)  
STOP\_CITY: VARCHAR2(20)  
STOP\_STATE: VARCHAR2(2)  
STOP\_ZIP: VARCHAR2(15)  
STOP\_POST\_ID: VARCHAR2(20)  
STOP\_COUNTY: VARCHAR2(20)  
STOP\_COUNTRY: VARCHAR2(20)  
STOP\_ZONE: VARCHAR2(4)  
STOP\_WEIGHT: NUMBER  
STOP\_PIECES: NUMBER  
STOP\_DIM\_WT: NUMBER

## JOBS\_STATS

**JOBS\_MILES\_TMP**

JOBS\_DIMS\_DTL

STOP\_DEPOTS\_DTL

**JOBS\_MEMO\_DTL**

**JOBS\_SITES\_LIVE**

1. The first part of the document is a list of names and addresses, which appears to be a directory or a list of subscribers. The names are written in a cursive script, and the addresses are listed below them.

JOBS\_ATTR\_DTL

JOB\_NO: NUMBER  
JOB\_ID: NUMBER  
ATTR\_NAME: CHAR(25)  
ATTR\_MODE: CHAR(20)

JOBS\_FEES\_DTL

JOB\_NO: NUMBER  
FEE\_ITEM: VARCHAR2(20)  
FEE\_AMT: NUMBER(9,2)  
ADD\_SUB\_TOTAL: VARCHAR2(1)  
CATEGORY: VARCHAR2(1)  
GL\_ACCOUNT: VARCHAR2(20)  
DEPARTMENT: VARCHAR2(10)  
STATUS: VARCHAR2(1)

ATTRIBUTE\_MASTER

ATTR\_NAME: VARCHAR2(25)  
ATTR\_TYPE: VARCHAR2(10)

JOBS\_VERIFY\_DTL

SESSION\_NO: NUMBER  
JOB\_NO: NUMBER  
ERR\_TEXT: VARCHAR2(90)

ATTRIBUTES

ATTRIBUTE\_NO: NUMBER  
ATTR\_TYPE: VARCHAR2(10)  
ATTR\_NAME: VARCHAR2(25)  
ATTR\_MODE: VARCHAR2(20)

TABLE OF JOBS

**JOB\_NO: NUMBER**

JOB\_ID: VARCHAR2(15)  
JOB\_TYPE: NUMBER  
CUSTOMER\_ID: VARCHAR2(10)  
CUSTOMER\_NAME: VARCHAR2(30)  
CUSTOMER\_TYPE: VARCHAR2(1)  
JOB\_REF1: VARCHAR2(20)  
JOB\_REF2: VARCHAR2(20)  
STATUS: NUMBER  
TOT\_WEIGHT: NUMBER  
TOT\_PIECES: NUMBER  
SERVICE: VARCHAR2(4)  
SUB\_SERVICE: VARCHAR2(4)  
SERVICE\_LEVEL: NUMBER  
SERVICE\_TYPE: VARCHAR2(1)  
ARTICLE\_ID: VARCHAR2(1)  
DE\_STATUS: VARCHAR2(2)  
DISP\_GROUP: NUMBER  
AUTO\_DISP: VARCHAR2(1)  
CREATED\_BY: VARCHAR2(30)  
UPDATED\_BY: VARCHAR2(30)  
DISP\_DT: DATE  
CREATE\_DT: DATE  
UPDATE\_DT: DATE  
ORDER\_NO: NUMBER  
WAYBILL\_ID: VARCHAR2(20)  
JOB\_DESC: VARCHAR2(60)  
JOB\_REV\_AMT: NUMBER(10,2)  
JOB\_COST\_AMT: NUMBER(10,2)  
ALERT\_NO: NUMBER  
INVOICE\_NO: NUMBER  
CALLER: VARCHAR2(20)  
CALL\_PHONE: VARCHAR2(15)  
JOB\_PMILES: NUMBER(7,2)  
JOB\_DMILES: NUMBER(7,2)  
TOTAL\_MILES: NUMBER(9,2)  
TERMS\_FLAG: VARCHAR2(1)  
INT\_CODE: VARCHAR2(1)  
INST\_PRINT: VARCHAR2(1)  
DAILY\_FLAG: VARCHAR2(1)  
POD\_FAX: VARCHAR2(1)  
REVENUE\_SITE: VARCHAR2(3)  
SITE: VARCHAR2(3)  
ATTRIBUTE\_NO: NUMBER  
PU\_READY\_DT: DATE  
DUE\_DT: DATE  
PU\_ACTUAL\_DT: DATE  
DEL\_ACTUAL\_DT: DATE  
DIM\_WEIGHT: NUMBER  
CURRENT\_DRIVER: NUMBER  
DISP\_COLOR: VARCHAR2(30)  
CURRENT\_DRIVER\_SITE: VARCHAR2(3)  
JOB\_CLASS: VARCHAR2(12)

JOB\_NO: NUMBER  
STOP\_NO: NUMBER

STOP\_ORDER: NUMBER  
STOP\_STATUS: NUMBER  
STOP\_ADDRESS\_NO: NUMBER  
STOP\_DRIVER: NUMBER  
STOP\_DELAY: NUMBER  
STOP\_ARRIVE\_DT: DATE  
STOP\_ARRIVE\_GMT: DATE  
STOP\_EARLIEST\_DT: DATE  
STOP\_EARLIEST\_GMT: DATE  
STOP\_LATEST\_DT: DATE  
STOP\_LATEST\_GMT: DATE  
STOP\_ACTUAL\_DT: DATE  
STOP\_ACTUAL\_GMT: DATE  
STOP\_WAIT\_DT: DATE  
STOP\_TYPE: VARCHAR2(1)  
OK\_LEAVE: VARCHAR2(1)  
STOP\_AIRPORT: VARCHAR2(10)  
STOP\_PRODUCT: VARCHAR2(20)  
ACTUAL\_DEPOT: VARCHAR2(20)  
STOP\_PHONE: VARCHAR2(15)  
STOP\_REF1: VARCHAR2(30)  
STOP\_REF2: VARCHAR2(30)  
STOP\_INST: VARCHAR2(90)  
STOP\_ATTN: VARCHAR2(30)  
STOP\_LATE\_FACTOR: NUMBER(6,2)  
STOP\_NOTIFY: VARCHAR2(1)  
STOP\_WEAVE: VARCHAR2(1)  
STOP\_SITE: VARCHAR2(3)  
STOP\_POD: VARCHAR2(30)  
STOP\_BUS\_NAME: VARCHAR2(30)  
STOP\_ADDRESS1: VARCHAR2(30)  
STOP\_ADDRESS2: VARCHAR2(30)  
STOP\_CITY: VARCHAR2(20)  
STOP\_STATE: VARCHAR2(2)  
STOP\_ZIP: VARCHAR2(15)  
STOP\_POST\_ID: VARCHAR2(20)  
STOP\_COUNTY: VARCHAR2(20)  
STOP\_COUNTRY: VARCHAR2(20)  
STOP\_ZONE: VARCHAR2(4)  
STOP\_WEIGHT: NUMBER  
STOP\_PIECES: NUMBER  
STOP\_DIM\_WT: NUMBER

**JOB\_NO: NUMBER**  
**SITE: VARCHAR2(3)**

```
NO_OF_STOPS: NUMBER  
DEC_STOPS: NUMBER  
SITE_ORDER: NUMBER  
JOB_ID: VARCHAR2(15)
```

# DRIVERS\_SHIFTS\_DTL

SHIFT\_NO: NUMBER

DRIVER\_NO: NUMBER

LOGON\_STREET: VARCHAR2(30)

LOGON\_CITY: VARCHAR2(20)

LOGON\_STATE: VARCHAR2(2)

LOGON\_ZIP: VARCHAR2(10)

LOGON\_COUNTRY: VARCHAR2(3)

LOGON\_LAT: NUMBER(14)

LOGON\_LONG: NUMBER(16)

LOGOFF\_STREET: VARCHAR2(30)

LOGOFF\_CITY: VARCHAR2(20)

LOGOFF\_STATE: VARCHAR2(2)

LOGOFF\_ZIP: VARCHAR2(10)

LOGOFF\_COUNTRY: VARCHAR2(3)

LOGOFF\_LAT: NUMBER(14)

LOGOFF\_LONG: NUMBER(16)

AWAY\_FROM\_HOME: VARCHAR2(1)

PREFZONE: NUMBER

INZONE\_ADVANTAGE: NUMBER

OUTZONE\_PENALTY: NUMBER

SITE: VARCHAR2(3)

SHIFT\_START\_TIME: DATE

SHIFT\_END\_TIME: DATE

VEHICLE\_GROUP\_NO: NUMBER

NOTE: VARCHAR2(30)

EARLY\_START\_OFFSET: NUMBER

LATE\_START\_OFFSET: NUMBER

SHIFT\_DATE: DATE

SHIFT\_END\_CUM\_HOURS: NUMBER

SHIFT\_TYPE: VARCHAR2(1)

REQ\_SHIFT\_START: DATE

REQ\_START\_LAT: NUMBER(14)

REQ\_START\_LONG: NUMBER(16)

REQ\_SHIFT\_END: DATE

REQ\_END\_LAT: NUMBER(14)

REQ\_END\_LONG: NUMBER(16)

ORIGINATOR: VARCHAR2(20)

EDIT\_DT: DATE

ATTRIBUTE\_NO: NUMBER

# DRIVERS\_SHIFTS\_TPL

TEMPLATE\_NO: NUMBER

DRIVER\_NO: NUMBER

LOGON\_STREET: VARCHAR2(30)

LOGON\_CITY: VARCHAR2(20)

LOGON\_STATE: VARCHAR2(2)

LOGON\_ZIP: VARCHAR2(10)

LOGON\_COUNTRY: VARCHAR2(3)

LOGON\_LAT: NUMBER(14)

LOGON\_LONG: NUMBER(16)

LOGOFF\_STREET: VARCHAR2(30)

LOGOFF\_CITY: VARCHAR2(20)

LOGOFF\_STATE: VARCHAR2(2)

LOGOFF\_ZIP: VARCHAR2(10)

LOGOFF\_COUNTRY: VARCHAR2(3)

LOGOFF\_LAT: NUMBER(14)

LOGOFF\_LONG: NUMBER(16)

AWAY\_FROM\_HOME: VARCHAR2(1)

PREFZONE: NUMBER

INZONE\_ADVANTAGE: NUMBER

OUTZONE\_PENALTY: NUMBER

SITE: VARCHAR2(3)

SHIFT\_START\_TIME: DATE

SHIFT\_END\_TIME: DATE

DAY\_OF\_WEEK: NUMBER

VEHICLE\_GROUP\_NO: NUMBER

NOTE: VARCHAR2(30)

EARLY\_START\_OFFSET: NUMBER

LATE\_START\_OFFSET: NUMBER

ATTRIBUTE\_NO: NUMBER

# DRIVERS\_SHIFTS\_BRKS\_DTL

SHIFT\_NO: NUMBER

EARLIEST\_BREAK\_START: NUMBER

LATEST\_BREAK\_START: NUMBER

DURATION: NUMBER

REQ\_BREAK\_START: NUMBER

NOTE: VARCHAR2(30)

# DRIVERS\_SHIFTS\_BRKS\_TPL

TEMPLATE\_NO: NUMBER

EARLIEST\_BREAK\_START: NUMBER

LATEST\_BREAK\_START: NUMBER

DURATION: NUMBER

NOTE: VARCHAR2(30)

DRIVERS

DRIVER_NO: NUMBER
SITE: VARCHAR2(3)
DRIVER_ID: VARCHAR2(15)
DRIVER_NAME: VARCHAR2(20)
PAGER_CODE: VARCHAR2(15)
PAGER_TYPE: VARCHAR2(1)
COMMS_TYPE: VARCHAR2(1)
COMMS_NO: NUMBER
VENDOR_ID: VARCHAR2(20)
DISP_GROUP: NUMBER
ADDRESS: VARCHAR2(30)
CITY: VARCHAR2(14)
STATE: VARCHAR2(2)
ZIP: VARCHAR2(10)
PHONE: VARCHAR2(18)
SSN: VARCHAR2(11)
COMM_TIER: VARCHAR2(10)
NOTES: VARCHAR2(60)
INS_COMPANY: VARCHAR2(30)
INS_POLICY: VARCHAR2(30)
INS_LIMITS: VARCHAR2(30)
DLN: VARCHAR2(20)
DLN_STATE: VARCHAR2(2)
DL_EXP_DT: DATE
INS_EXP_DT: DATE
DATE_EMPLOY_DT: DATE
DATE_TERM_DT: DATE
EMER_NAME: VARCHAR2(30)
EMER_PHONE: VARCHAR2(18)
EMER_RELATION: VARCHAR2(30)
EMPLOY_ID: VARCHAR2(20)
PAYMENT_CYCLE: VARCHAR2(1)
PAYROLL_AC: VARCHAR2(20)
ATTRIBUTE_NO: NUMBER
MOBILE_STATUS: VARCHAR2(1)
DRIVER_STATUS: VARCHAR2(1)

DRIVER\_COMM\_PARAMS\_DTL

COMM_TIER: VARCHAR2(10)
SERVICE: VARCHAR2(4)
COMM_METHOD: VARCHAR2(15)
REF_ZONE_TABLE: VARCHAR2(20)
MIN_COMM: NUMBER(10,2)
MAX_COMM: NUMBER(10,2)
COMM_PERCT: NUMBER(10,2)
COMM_PER_MILE: NUMBER(10,2)

DRIVER\_COMM\_PARAMS

COMM_TIER: VARCHAR2(10)
COMM_TIER_DESC: VARCHAR2(30)

DRIVER\_LOGS

STATUS: VARCHAR2(1)
TIME_STAMP_DT: DATE
DRIVER_NO: NUMBER
SITE: VARCHAR2(3)
MILEAGE: NUMBER
LOCATION: VARCHAR2(20)
LATITUDE: NUMBER
LONGITUDE: NUMBER
VEHICLE_GROUP_NO: NUMBER
DISP_GROUP_NO: NUMBER

DRIVER\_COMMISSIONS

DRIVER\_NO: NUMBER  
SITE: VARCHAR2(3)  
JOB\_NO: NUMBER  
  
JOB\_DATE: DATE  
CUSTOMER\_ID: VARCHAR2(20)  
PKUP\_BUS\_NAME: VARCHAR2(30)  
DEL\_BUS\_NAME: VARCHAR2(30)  
BASE\_CHARGE: NUMBER(10,2)  
OTHER\_CHARGE: NUMBER(10,2)  
BASE\_COMM: NUMBER(10,2)  
OTHER\_COMM: NUMBER(10,2)  
SPLIT\_PERCT: NUMBER(10,2)  
SPLIT\_JOB: VARCHAR2(1)  
STATUS: NUMBER  
EXTRA\_AMT: NUMBER(10,2)  
DED\_COMM: NUMBER(10,2)  
DED\_CHARGE: NUMBER(10,2)  
PROCESS\_SEQNO: NUMBER  
COMMISSION\_NO: NUMBER

DRIVER\_DEDUCTIONS

DRIVER\_NO: NUMBER  
SITE: VARCHAR2(3)  
DED\_TYPE: VARCHAR2(20)  
FROM\_DATE: DATE  
TODATE: DATE  
  
DED\_AMT: NUMBER(10,2)  
YTD\_AMT: NUMBER(10,2)

DRIVER\_DEDUCTION\_PARAMS

DED\_TYPE: VARCHAR2(8)  
  
DRIVER\_NO: NUMBER  
SITE: VARCHAR2(3)  
FROM\_DATE: DATE  
TODATE: DATE  
DED\_AMT: NUMBER(10,2)  
DED\_PERCT: NUMBER(10,2)  
BALANCE\_AMT: NUMBER(10,2)  
YTD\_AMT: NUMBER(10,2)  
GL\_ACCOUNT: VARCHAR2(20)

DRIVERS\_MESSAGE\_DTL

TEXT\_NO: NUMBER  
  
DRIVER\_NO: NUMBER  
ORIGIN: VARCHAR2(7)  
SITE: VARCHAR2(3)  
USER\_REF: NUMBER  
DRIVER\_TEXT: VARCHAR2(160)  
TIME\_STAMP\_DT: DATE  
TX\_STATUS: NUMBER

DRIVERS\_TRANSMIT\_DTL

SEQ\_NO: NUMBER  
  
DRIVER\_NO: NUMBER  
SITE: VARCHAR2(3)  
JOB\_SITE: VARCHAR2(3)  
DOC\_NO: NUMBER  
DOC\_TYPE: NUMBER  
TX\_STATUS: NUMBER  
TIME\_STAMP\_DT: DATE

DRIVERS\_HISTORY\_DTL

SEQ\_NO: NUMBER  
  
DRIVER\_NO: NUMBER  
SITE: VARCHAR2(3)  
JOB\_SITE: VARCHAR2(3)  
DOC\_NO: NUMBER  
DOC\_TYPE: NUMBER  
TX\_STATUS: NUMBER  
TIME\_STAMP\_DT: DATE

DRIVER\_COMMISSIONS



# DEPOT

DEPOT\_ID: VARCHAR2(50)  
TYPE: VARCHAR2(4)

SITE\_DELAY: NUMBER(10)  
JOB\_DELAY: NUMBER(10)  
SPEED: VARCHAR2(10)  
LABEL: VARCHAR2(50)  
CONTACT\_PHONE: VARCHAR2(70)  
CONTACT\_NAME: VARCHAR2(70)  
SPECIAL\_COND: VARCHAR2(1000)  
SPECIAL\_TEXT: VARCHAR2(1000)  
ATTRIBUTE\_NO: NUMBER  
ADDRESS\_NO: NUMBER

# COMMON\_ADDRESS

ADDRESS\_ID: NUMBER

ADDRESS\_TYPE: VARCHAR2(12)  
BUS\_NAME: VARCHAR2(30)  
ADDRESS1: VARCHAR2(30)  
ADDRESS2: VARCHAR2(30)  
STATE: VARCHAR2(2)  
CITY: VARCHAR2(20)  
ZONE: VARCHAR2(4)  
ZIP: VARCHAR2(10)  
COUNTRY: VARCHAR2(20)  
PHONE: VARCHAR2(20)  
LATITUDE: NUMBER(14)  
LONGITUDE: NUMBER(16)  
TIME\_STAMP: DATE  
TIMES\_USED: NUMBER  
CLIENT\_LOC\_ID: NUMBER  
POST\_CODE: VARCHAR2(20)  
COUNTY: VARCHAR2(20)  
AIRPORT: VARCHAR2(10)  
GEOSTATUS: VARCHAR2(20)

# PRODUCT\_DEPOT

PRODUCT\_ID: VARCHAR2(50)  
DEPOT\_ID: VARCHAR2(50)

FUNCTION: VARCHAR2(10)  
ORIGINATOR: VARCHAR2(30)  
ENTRY\_DT: DATE  
TYPE: VARCHAR2(4)

# PRODUCT

PRODUCT\_ID: VARCHAR2(50)

TYPE: VARCHAR2(50)  
PRODUCT\_DESC: VARCHAR2(250)  
PRICING\_INFO: VARCHAR2(1000)  
SERVICE\_LEVEL: VARCHAR2(50)  
LIFE\_SPAN: VARCHAR2(50)  
NOMINAL\_WT: NUMBER  
NOMINAL\_VOL: NUMBER  
NOMINAL\_SIZE: NUMBER  
ATTRIBUTE\_NO: NUMBER


# GEOCODES


GEOCODE\_NO: NUMBER  
GEOCODE\_SEQ: NUMBER

BLOCK\_NO: NUMBER  
STREET: VARCHAR2(30)  
X\_STREET: VARCHAR2(30)  
CITY: VARCHAR2(20)  
STATE: VARCHAR2(2)  
ZIP: VARCHAR2(10)  
LATITUDE: NUMBER(14)  
LONGITUDE: NUMBER(16)  
GEOSTATUS: VARCHAR2(20)  
TIME\_STAMP\_DT: DATE  
ADDRESS\_ID: NUMBER

Copyright © 1998









## SPECIAL\_RATE

TABLE\_NAME: VARCHAR2(20)  
TABLE\_DESC: VARCHAR2(30)  
TARGET\_FIELD: VARCHAR2(20)

## STREET\_ZONE

TABLE\_NAME: VARCHAR2(20)  
TABLE\_DESC: VARCHAR2(30)

## SPECIAL\_RATE\_DTL

TARGET\_FIELD\_VALUE: VARCHAR2(30)  
TABLE\_NAME: VARCHAR2(20)  
FLAT\_AMT: NUMBER(8,2)  
RATE\_PERCT: NUMBER(8,2)  
APPLY\_TO: VARCHAR2(2)

## STREET\_ZONE\_DTL

STREET\_NAME: VARCHAR2(30)  
TABLE\_NAME: VARCHAR2(20)  
FROM\_NO: NUMBER  
TO\_NO: NUMBER  
EVEN\_ODD: VARCHAR2(1)  
ZONE: VARCHAR2(20)

## RATE\_METHOD

RATE\_METHOD: VARCHAR2(20)  
RATE\_METHOD\_DESC: VARCHAR2(30)  
RATE\_PROCEDURE: VARCHAR2(20)

## FEE\_GROUP

FEE\_GROUP\_ID: VARCHAR2(20)  
FEE\_GROUP\_DESC: VARCHAR2(30)


## RATE\_METHOD\_DTL

LINE\_NO: NUMBER  
RATE\_METHOD: VARCHAR2(20)  
REF\_CODE: VARCHAR2(20)  
REF\_DESC: VARCHAR2(30)

## FEE\_GROUP\_DTL

FEE\_ITEM: VARCHAR2(20)  
FEE\_GROUP\_ID: VARCHAR2(20)  
CATEGORY: VARCHAR2(1)  
GL\_ACCOUNT: VARCHAR2(10)  
ADD\_SUB\_TOTAL: VARCHAR2(1)

10/2/01 9:25:00 AM









# ACCT\_NUMBERS

GL\_ACCT: VARCHAR2(30)  
GL\_ACCT\_DESC: VARCHAR2(50)

# ACCT\_TRANS\_HDR

TRANS\_NO: NUMBER  
TRANS\_TYPE: VARCHAR2(12)  
TRANS\_DATE: DATE  
TRANS\_ID: VARCHAR2(20)  
TRANS\_AMOUNT: NUMBER  
TRANS\_BATCH\_NO: NUMBER  
LINK\_NO: NUMBER  
NO\_OF\_PRINTS: NUMBER

# ACCT\_SETUP

ACCT\_PACKAGE: VARCHAR2(30)  
TRANSFER\_DIR: VARCHAR2(100)  
CUST\_ID\_LENGTH: NUMBER  
VEND\_ID\_LENGTH: NUMBER  
LAST\_EXPORT\_AR: DATE  
LAST\_EXPORT\_AP: DATE  
AR\_INV\_TYPE: VARCHAR2(12)  
AP\_INV\_TYPE: VARCHAR2(12)  
AR\_CM\_TYPE: VARCHAR2(12)  
AR\_DM\_TYPE: VARCHAR2(12)  
CUST\_FILE: VARCHAR2(30)  
VEND\_FILE: VARCHAR2(30)  
AR\_HDR\_FILE: VARCHAR2(30)  
AR\_DET\_FILE: VARCHAR2(30)  
AP\_HDR\_FILE: VARCHAR2(30)  
AP\_DET\_FILE: VARCHAR2(30)

# ACCT\_BATCH

BATCH\_NO: NUMBER  
GL\_TYPE: VARCHAR2(2)  
BATCH\_FILES\_DONE: VARCHAR2(1)  
CREATE\_DATE: DATE

# CUST\_TERMS

CUST\_TERMS: VARCHAR2(15)  
SEQ\_NO: NUMBER

# ACCT\_TRANS\_DTL

TRANS\_NO: NUMBER  
TRANS\_TYPE: VARCHAR2(12)  
TRANS\_GL\_ACCT: VARCHAR2(30)  
TRANS\_DATE: DATE  
TRANS\_DB\_CR: NUMBER  
TRANS\_DESC: VARCHAR2(30)

10/20/98 10:00 AM

## AUDIT\_RECORD\_SETUP

TABLE\_NAME: VARCHAR2(30)  
 INSERT\_TAB\_NAME: VARCHAR2(30)  
 OBJECT\_NAME: VARCHAR2(30)  
 USE\_SITE: VARCHAR2(3)  
 STATUS: VARCHAR2(10)  
 USER\_ACCESS: VARCHAR2(7)

## AUDIT\_COLUMN

JOB\_NO: NUMBER  
 STOP\_NO: NUMBER  
 FIELD\_NAME: VARCHAR2(30)  
 PREV\_DATA: VARCHAR2(80)  
 THIS\_DATA: VARCHAR2(80)  
 CHANGE\_BY: VARCHAR2(30)  
 CHANGE\_DT: DATE

## AUDIT\_RECORD\_SETUP\_DTL

TABLE\_NAME: VARCHAR2(30)  
 USER\_ACCESS: VARCHAR2(7)  
 USER\_ID: VARCHAR2(10)

## AUDIT\_COLUMN\_SETUP

TABLE\_NAME: VARCHAR2(30)  
 FIELD\_NAME: VARCHAR2(30)  
 STATUS: VARCHAR2(10)  
 EVENT\_DESC: VARCHAR2(30)

## AUDIT\_COLUMN\_SETUP\_DTL

USER\_ACCESS: VARCHAR2(7)  
 USER\_ID: VARCHAR2(10)

## RECORD\_AUDIT

TABLE\_NAME: VARCHAR2(30)  
 OBJECT\_ID: VARCHAR2(30)  
 CREATE\_BY: VARCHAR2(30)  
 CREATE\_DT: DATE  
 CHANGE\_BY: VARCHAR2(30)  
 CHANGE\_DT: DATE

## AUDIT\_RECORD

TABLE\_NAME: VARCHAR2(30)  
 OBJECT\_ID: VARCHAR2(30)  
 OBJECT\_SITE: VARCHAR2(3)  
 CREATE\_BY: VARCHAR2(30)  
 CREATE\_DT: DATE  
 CHANGE\_BY: VARCHAR2(30)  
 CHANGE\_DT: DATE

## DAYLIGHT\_SAVINGS

TIME\_ZONE: VARCHAR2(10)  
 START\_YEAR: NUMBER  
 START\_MONTH: NUMBER  
 START\_DAY: NUMBER  
 START\_HOUR: NUMBER  
 END\_MONTH: NUMBER  
 END\_DAY: NUMBER  
 END\_HOUR: NUMBER

## AUDIT\_COLUMN\_CONTROL

USER\_ACCESS: VARCHAR2(7)

704033940600

### USER\_GROUPS

USER\_GROUP: VARCHAR2(8)  
GROUP\_DESC: VARCHAR2(30)

### NEW\_USERS

USER\_ID: VARCHAR2(10)  
SITE: VARCHAR2(3)  
FIRST\_NAME: VARCHAR2(20)  
LAST\_NAME: VARCHAR2(20)  
MID\_INITIAL: VARCHAR2(1)  
DEPT: VARCHAR2(3)  
USER\_PHONE: VARCHAR2(15)  
USER\_GROUP: VARCHAR2(8)  
TIME\_ZONE: VARCHAR2(12)

### COMMON\_PHONES

CUSTOMER\_ID: VARCHAR2(10)  
COMMON\_PHONE: VARCHAR2(20)

### CITY\_STATES

CITY: VARCHAR2(30)  
STATE: VARCHAR2(20)  
ZIP: VARCHAR2(20)  
COUNTRY: VARCHAR2(20)  
DEFAULT\_SITE: VARCHAR2(4)  
TIME\_ZONE: VARCHAR2(10)

### AIRPORTS

AIRPORT: VARCHAR2(10)  
AIRPORT\_NAME: VARCHAR2(30)  
CITY: VARCHAR2(30)  
STATE: VARCHAR2(20)  
ZIP: VARCHAR2(20)  
COUNTRY: VARCHAR2(20)  
INTERNATIONAL: VARCHAR2(1)  
DEFAULT\_CARRIER: VARCHAR2(10)  
DEFAULT\_SITE: VARCHAR2(4)

### COMPANY

COMPANY\_NAME: VARCHAR2(30)  
ADDRESS1: VARCHAR2(30)  
ADDRESS2: VARCHAR2(30)  
CITY: VARCHAR2(20)  
STATE: VARCHAR2(2)  
ZIP: VARCHAR2(20)  
COUNTRY: VARCHAR2(30)  
COUNTY: VARCHAR2(30)  
POST\_ID: VARCHAR2(20)  
DEFAULT\_SITE: VARCHAR2(3)  
DEFAULT\_USER\_GROUP: VARCHAR2(8)

### WEEKEND\_DTL

OBJECT\_ID: VARCHAR2(30)  
WEEKEND\_DAY: NUMBER  
OBJECT\_NAME: VARCHAR2(30)  
WEEKEND\_DESC: VARCHAR2(30)

### EVENT\_LIST

EVENT\_NO: NUMBER  
EVENT\_NAME: VARCHAR2(30)

# VENDORS

VENDOR_ID: VARCHAR2(10)
BUS_NAME: VARCHAR2(30)
PHONE: VARCHAR2(20)
FAX_PHONE: VARCHAR2(20)
ADDRESS1: VARCHAR2(30)
ADDRESS2: VARCHAR2(30)
CITY: VARCHAR2(20)
STATE: VARCHAR2(2)
ZIP: VARCHAR2(10)
COUNTRY: VARCHAR2(20)
TERMS_ID: VARCHAR2(10)
HOLD_PAYMENT: VARCHAR2(1)
PRINT_1099: VARCHAR2(1)
FED_TAX_ID: VARCHAR2(11)
CREATE_DATE: DATE
EDIT_DATE: DATE

# LOADED\_DAILIES

TEMPLATE_JOB_NO: NUMBER
LOADED_PU_READY_DT: DATE
LOADED_JOB_NO: NUMBER

# PROCESSES

PROC_NAME: VARCHAR2(8)
PROC_TYPE: VARCHAR2(8)
EMAIL_NAME: VARCHAR2(10)
DEAD_TIME: NUMBER
NUM_TRIES: NUMBER

# ALL\_FAIL\_JOBS

FAIL_SEQNO: NUMBER
DOC_NO: VARCHAR2(30)
ERROR_NO: NUMBER
SEVERITY_LEVEL: NUMBER
SOURCE: VARCHAR2(20)
CATEGORY: VARCHAR2(20)
TEXT_MSG: VARCHAR2(200)
TIME_STAMP: DATE
SITE: VARCHAR2(3)

# PROCESS\_EVENT

PROC_NAME: VARCHAR2(8)
EVENT_NO: NUMBER
EVENT_NAME: VARCHAR2(30)
SITE: VARCHAR2(3)

# PROCESS\_SITE

PROC_NAME: VARCHAR2(8)
SITE: VARCHAR2(3)
HOST_NAME: VARCHAR2(10)
PROC_NO: NUMBER
STATUS: NUMBER
TIME_STAMP_DT: DATE
PROC_PATH: VARCHAR2(80)

# PROCESS\_HISTORY

PROC_NAME: VARCHAR2(8)
TIME_STAMP_DT: DATE
NUM_DEATHS: NUMBER
SITE: VARCHAR2(3)



GPS_NO: NUMBER
COMMS_NO: NUMBER
DRIVER_NO: NUMBER
SITE: VARCHAR2(3)
VEHICLE_ID: VARCHAR2(50)
GPS_DT: DATE
INSERT_DT: DATE
LATITUDE: NUMBER(14)
LONGITUDE: NUMBER(16)
ALTITUDE: NUMBER
SPEED: NUMBER
HEADING: NUMBER
GPS_STATUS: NUMBER
MSG_STATUS: NUMBER
BLOCK_NO: NUMBER
STREET: VARCHAR2(30)
X_STREET: VARCHAR2(30)
CITY: VARCHAR2(20)
STATE: VARCHAR2(2)
ZIP: VARCHAR2(10)

```
COMMS_NO: NUMBER
DISTANCE: NUMBER
MAX_SPEED: NUMBER
DRIVING_TIME: NUMBER
TOTAL_MESSAGES: NUMBER
SATS_VISIBLE: NUMBER
SATS_TRACKED: NUMBER
STATUS_1: NUMBER
STATUS_2: NUMBER
STATUS_3: NUMBER
STATUS_4: NUMBER
STATUS_5: NUMBER
STATUS_6: NUMBER
STATUS_7: NUMBER
STATUS_8: NUMBER
STATUS_9: NUMBER
STATUS_10: NUMBER
STATUS_11: NUMBER
STATUS_12: NUMBER
STATUS_13: NUMBER
STATUS_14: VARCHAR2(30)
STATUS_15: VARCHAR2(30)
INSERT_DT: DATE
```

SITE: VARCHAR2(3)
SERVICE: VARCHAR2(4)
STATUS: NUMBER
DISP_STATION: NUMBER
COLOR: VARCHAR2(15)

GWNAME: VARCHAR2(15)

```
PROC_NAME: VARCHAR2(20)
PROC_TYPE: VARCHAR2(8)
SITE: VARCHAR2(3)
PROC_PATH: VARCHAR2(100)
HOST_NAME: VARCHAR2(20)
EMAIL_NAME: VARCHAR2(50)
RESTART_DELAY: NUMBER
NUM_RETRIES: NUMBER
RETRY_WINDOW: NUMBER
PID: NUMBER
POLLING_ON: VARCHAR2(1)
MSG_NO: NUMBER
CURRENT_STATE: VARCHAR2(10)
REQ_STATE: VARCHAR2(10)
LAST_ENTRY_DT: DATE
```

JOB\_NO: NUMBER  
STOP\_NO: NUMBER  
STOP\_TYPE: VARCHAR2(1)  
PIECES\_ID: VARCHAR2(30)  
UNITS: NUMBER  
WEIGHT: NUMBER  
DESCRIPTION: VARCHAR2(60)  
TIME\_STAMP DT: DATE

```

TEMPLATE_NO: NUMBER
FORM_NAME: VARCHAR2(40)
CUR_FIELD: VARCHAR2(35)
NEXT_FIELD: VARCHAR2(35)
PREV_FIELD: VARCHAR2(35)
FIELD_ORDER: NUMBER
BLOCK_NAME: VARCHAR2(40)
NEXT_BLOCK: VARCHAR2(40)
PREV_BLOCK: VARCHAR2(40)
USER_ID: VARCHAR2(10)

```

```
MSG_NO: NUMBER
REPLY_NO: NUMBER
OBJECT_EVENT: VARCHAR2(10)
OBJECT_TYPE: VARCHAR2(12)
OBJECT_ID: VARCHAR2(20)
SUPER_OBJECT_TYPE: VARCHAR2(15)
SUPER_OBJECT_ID: VARCHAR2(20)
ORIGIN: VARCHAR2(30)
OBJECT_STATUS: NUMBER
TIME_STAMP_DT: DATE
SITE: VARCHAR2(3)
```

TASK\_NO: NUMBER  
LINE\_NO: NUMBER  
TASK\_DESC: VARCHAR2(320)  
TASK\_DT: DATE  
TASK\_WHO: VARCHAR2(8)

```

TASK_NO: NUMBER
TASK_STATUS: VARCHAR2(1)
CURRENT_STATUS: VARCHAR2(12)
SUMMARY: VARCHAR2(160)
PROGRAM_NAME: VARCHAR2(20)
SCREEN_NAME: VARCHAR2(20)
CREATED_BY: VARCHAR2(10)
CREATED_DATE: DATE
ASSIGNED_TO: VARCHAR2(10)
COMPLETED_DATE: DATE
TOTAL_HOURS: NUMBER

```